


# Series TEF 55-320 145 PSI


view TEF 55,70







view TEF 210,310,320



1) Connection for the potential equalization, only for application in the explosive area.

## **Dimensions:**

type	connection	Α	В	С	D	E	F	G	Н	J	K	weight	volume tank
TEF 55	-8 SAE	10.11	7.64	10.63	1.77	.87	.39	2.05	.87	-	2.08	1.98 lbs.	.08 Gal.
<b>TEF 70</b>	-12 SAE	10.11	7.64	10.63	1.77	.87	.39	2.05	.87	-	2.08	1.98 lbs.	.08 Gal.
TEF 120	-16 SAE	11.30	8.39	11.80	2.56	1.06	.39	2.76	.97	-	2.83 <sup>+.39</sup>	3.30 lbs.	.15 Gal.
TEF 210	-20 SAE	12.00	9.06	13.78	.98	1.18	.39	3.15	1.50	2.64	3.22 +.11	4.60 lbs.	.29 Gal.
TEF 310	-20 SAE	15.25	12.26	15.94	.98	1.18	.39	3.15	1.50	2.64	3.22 + .11	5.50 lbs.	.36 Gal.
TEF 320	-24 SAE	16.54	13.00	18.31	1.57	1.42	.39	3.35	1.73	2.79	3.38 <sup>+.23</sup>	6.20 lbs.	.45 Gal.



Dimensions: inches

Designs and performance values are subject to change.

## **Return Line Filter** Series TEF 55-320 145 PSI

## **Description:**

Return-line filters series TEF 55-320 have a working pressure up to 145 PSI. Pressure peaks can be absorbed with a sufficient safety margin.

The TEF-filters are directly mounted to the reservoir and connected to the return-line.

The filter element consists of a star-shaped, pleated filter material which is supported on the inside by a perforated core tube and is bonded to the end caps with a high-quality adhesive. The flow is from outside to inside.

For cleaning the stainless steel mesh element or changing the filter element, remove the cover and take out the element. The mesh elements are not guaranteed to maintain 100% performance after cleaning.

Filters finer than 40 µm use the disposable elements made of paper or microglass. Filter elements as fine as 5 µm(c) are available; finer filter elements on request.

Eaton filter elements are known as stable elements which have excellent filtration capabilities and a high dirt retaining capacity, therefore having a long service life. Due to its practical design, the return-line filter is easy to service.

Eaton filter can be used for petroleum-based fluids, HW emulsions, water glycols, most synthetic fluids and lubrication fluids. Consult factory for specific fluid applications.

When changing the filter element, a detachable connection between the filter head and the filter bowl prevents dirty oil from flowing into the tank.

## 1. Type index:

### 1.1. Complete filter: (ordering example)

TE	F. 70. 10VG. 16. S. P UG. 4 E1.	O
	2 3 4 5 6 7 8 9 10 11	12 13
1	series:	
	TEF = tank-mounted return-line-filter	
2	nominal size: 55, 70, 120, 210, 310, 320	
3	filter-material:	
	80G, 40G, 25G stainless steel wire mesh 25VG, 16VG, 10VG, 6VG, 3VG microglass 10P paper	
4	filter element collapse rating:	
	16 = ∆p 232 PSI	
5	filter element design:	
	E = without by-pass valve	
	S = with by-pass valve $\Delta p$ 29 PSI S1 = with by-pass valve $\Delta p$ 51 PSI	
6	S1 = with by-pass valve $\Delta p$ 51 PSI sealing material:	
0	P = Nitrile (NBR)	
	V = Viton (FPM)	
7	filter element specification:	
	- = standard	
	IS06 = for HFC applications, see sheet-no. 31601	
8	process connection:	
•	UG = thread connection	
9	process connection size: 3 = - 8 SAE TEF 55	
	4 = -12  SAE  TEF  53	
	5 = - 16 SAE TEF 120	
	6 = - 20 SAE TEF 210/310	
	7 = - 24 SAE TEF 320	
10	filter housing specification:	
	- = standard	EE 220)
	IS06 = for HFC application, see sheet-no. 31605 (TEF IS10 = for ATEX, see sheet-no. 68267 (TEF55/70, 210	
	IS11 = for mining applications, see sheet-no. 40530 (T	

IS11 = for mining applications, see sheet-no. 40530 (TEF320)

#### 11 clogging indicator at M1:

- = without
  - 0 = visual, see sheet-no. 1616
  - = pressure switch, see sheet-no, 1616 F1
  - = pressure switch, see sheet-no. 1616 F2
  - E5 = pressure switch, see sheet-no. 1616
  - PA = ground connection
- 12 clogging indicator at M2:

possible indicators see position 11 of the type index

- 13 permanent magnet:
  - = without Μ
    - = with magnet

To add an indicator to your filter, use the corresponding indicator data sheet to find the indicator details and add them to the filter assembly model code.

#### 1.2. Filter element: (ordering example)

1 2 3 4 5 6 7

- 01E. = filter element according to company standard
- 2 nominal size: 70 (TEF55/70), 120 (TEF120), 210 (TEF210), 320 (TEF310/320)
- 3 7 see type index-complete filter

## **Technical data:**

operating temperature: operating medium max. operating pressure: opening pressure by-pass valve: process connection: housing material standard: housing material IS10, category 2 and 3: housing material IS11, category M2: sealing material: installation position: 14°F to +212°F mineral oil, other media on request 145 PSI 29 PSI, 51 PSI thread connection according to DIN 3852, T2 filter head AL, screw plug / filter bowl glass fiber reinforced polyamide filter head AL, screw plug / filter bowl carbon fiber reinforced polyamide filter head GG, screw plug steel / filter bowl carbon fiber reinforced polyamide Nitrile (NBR) or Viton (FPM), other materials on request vertical

Classified under the Pressure Equipment Directive 2014/68/EU for mineral oil (fluid group 2), Article 4, Para. 3. Classified under ATEX Directive 2014/34/EU according to specific application (see questionnaire sheet-no. 34279-4).

## Pressure drop flow curves:

#### Filter calculation/sizing

The pressure drop of the assembly at a given flow rate Q is the sum of the housing  $\Delta p$  and the element  $\Delta p$  and is calculated as follows:

 $\Delta p_{assembly} = \Delta p_{housing} + \Delta p_{element}$  $\Delta p_{housing} = (see \Delta p = f(Q) - characteristics)$ 

$$\Delta p_{element} (PSI) = Q (GPM) x \frac{MSK}{1000} \left(\frac{PSI}{GPM}\right) x V(SUS) x \frac{\rho}{0.876} \left(\frac{kg}{dm^3}\right)$$

For ease of calculation our Filter Selection tool is available online at <u>www.eatonpowersource.com/calculators/filtration/</u>

#### Material gradient coefficients (MSK) for filter elements

The material gradient coefficients in psi/gpm apply to mineral oil (HLP) with a density of 0.876 kg/dm<sup>3</sup> and a kinematic viscosity of 139 SUS (30 mm<sup>2</sup>/s). The pressure drop changes proportionally to the change in kinematic viscosity and density.


TEF			VG				G		Р
	3VG	6VG	10VG	16VG	25VG	25G	40G	80G	10P
55	3.535	2.454	1.571	1.368	0.935	0.1196	0.1117	0.0765	0.797
70	3.535	2.454	1.571	1.368	0.935	0.1196	0.1117	0.0765	0.797
120	3.162	2.195	1.405	1.224	0.836	0.1144	0.1068	0.0731	0.690
210	1.600	1.111	0.711	0.619	0.423	0.0588	0.0549	0.0376	0.353
310	1.148	0.797	0.510	0.444	0.304	0.0337	0.0314	0.0215	0.253
320	1.148	0.797	0.510	0.444	0.304	0.0337	0.0314	0.0215	0.253

## <u>∆p = f(Q) – characteristics according to ISO 3968</u>


The pressure drop characteristics apply to mineral oil (HLP) with a density of 0.876 kg/dm<sup>3</sup>. The pressure drop changes proportionally to the density.

Viscosity key:

#### \_ \_ \_ 139 SUS \_\_\_\_\_ 464 SUS



## Symbols:



## Spare parts:

item	qty.	designation	dimension and article-no.							
			TEF 55	<b>TEF 70</b>	TEF 120	TEF 210	TEF 310	TEF 320		
1	1	filter element	01E.70		01E.120	01E.210	01E.320	01E.320		
2	1	filter head								
3	1	filter bowl								
4	1	screw plug	M60 x 2		M82 x 2	M90	x 2	M100 x 2		
5	1	O-ring	56 x 3 305072 (NBR) 305322 (FPM)		75 x 3 302215 (NBR) 304729 (FPM)	82 x 3 305191 (NBR) 305298 (FPM)		96 x 3 305292 (NBR) 305297 (FPM)		
6	1	O-ring	50 x 2,5 305239 (NBR) 305321 (FPM)		68 x 4 303037 (NBR) 313046 (FPM)	75 > 302215 304729	(NBR)	82 x 3 305191 (NBR) 305298 (FPM)		
7	1	O-ring	22 x 3 304387 (NBR) 304931 (FPM)		24 x 3 303038 (NBR) 304397 (FPM)	40 x 3 304389 (NBR) 304391 (FPM)		40 x 3 304389 (NBR) 304391 (FPM)		
8	1	O-ring	305072	x 3 2 (NBR) 2 (FPM)	86 x 3 305470 (NBR) 313047 (FPM)	88 > 304417 310266	(NBR)	96 x 3 305292 (NBR) 305297 (FPM)		
9	1	spring		= 40 982	DA = 52 302144	DA = 3021	-	DA = 52 305053		
10	1	clogging indicator			0	301721				
11	1	clogging indicator electric	E1, E2 or E5 see sheet-no. 1616							

## Test methods:

Filter elements are tested according to the following ISO standards:

- ISO 2941 Verification of collapse/burst resistance
- ISO 2942 Verification of fabrication integrity
- ISO 2943 Verification of material compatibility with fluids
- ISO 3723 Method for end load test
- ISO 3724 Verification of flow fatigue characteristics
- ISO 3968 Evaluation of pressure drop versus flow characteristics
- ISO 16889 Multi-pass method for evaluating filtration performance

#### North America

44 Apple Street Tinton Falls, NJ 07724 Toll Free: 800 656-3344 (North America only) Tel: +1 732 212-4700

#### Europe/Africa/Middle East

Auf der Heide 2 53947 Nettersheim, Germany Tel: +49 2486 809-0

Friedensstraße 41 68804 Altlußheim, Germany Tel: +49 6205 2094-0

An den Nahewiesen 24 55450 Langenlonsheim, Germany Tel: +49 6704 204-0

#### China

No. 3, Lane 280, Linhong Road Changning District, 200335 Shanghai, P.R. China Tel: +86 21 5200-0099

#### Singapore

100G Pasir Panjang Road #07-08 Singapore 118523 Tel: +65 6825-1668

#### Brazil

Rua Clark, 2061 - Macuco 13279-400 - Valinhos, Brazil Tel: +55 11 3616-8400

#### For more information, please email us at *filtration*@eaton.com or visit www.eaton.com/filtration

© 2018 Eaton. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this brochure concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Eaton as to the effects of such use or the results to be obtained. Eaton assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

